



Product Information

Main Material:

Estrutura: Wood particleboard

Doors: MDF

Finish:

Structure: Lacquered / CPL / Wood Veneer

Doors: Lacquered / CPL / Wood Veneer

Colors: Standard / Customized according to the RAL color palette.

*Includes all accessories required for installation

Product Description

Modular kitchen cabinets are designed to offer maximum functionality, contemporary aesthetics, and durability, even in high-use environments.

With a particleboard structure and MDF doors finished in lacquer or melamine/CPL coating, these cabinets stand out for their modular versatility, adapting to any kitchen project, from minimalist to classic.

Features

Structure

- Particleboard panel structure
- Melamine / CPL
- Scratch, stain, and moisture-resistant finishes
- Easy-to-clean surfaces available in various colors and textures
- Adjustable height modulation and combinable widths (300 mm base module)
- Environmental control

Doors

- MDF doors
- Door finishes: Laminate / Lacquer paint / Wood veneer
- Soft-close hinges (smooth and silent opening and closing)



*CE marking indicates that the product complies with European Union safety, health, and environmental standards, allowing it to be legally marketed within the European Economic Area.

Dimensions



Structure

Depth: 600 mm

300 mm base module: Corner optimization

Specific dimensions: Customizable according to the project.






Doors

Width: 600 mm - 2400 mm

Height: 300 mm - 600 mm*

Thickness: 18 mm - 25 mm

Color Options



*300–600 mm corresponds to the standard width per door leaf. For greater widths, multiple leaves may be combined.
Final design subject to approval through technical drawings.



*CE marking indicates that the product complies with European Union safety, health, and environmental standards, allowing it to be legally marketed within the European Economic Area.

Modular Configuration

Cabinet door dimensions range from 600 mm to 2400 mm in height, 300 mm to 600 mm in width, and 18 mm to 25 mm in thickness, meeting diverse project requirements. Equipped with soft-close hinges, they provide smooth and silent opening and closing, along with precise closure. They are aesthetically refined, durable, and reflect high-quality standards.



*CE marking indicates that the product complies with European Union safety, health, and environmental standards, allowing it to be legally marketed within the European Economic Area.